

libbluray

Generated by Doxygen 1.7.3

Sat Feb 19 2011 01:32:43

Contents

1	Class Index	1
1.1	Class List	1
2	File Index	3
2.1	File List	3
3	Class Documentation	5
3.1	bd_chapter Struct Reference	5
3.2	bd_clip Struct Reference	5
3.3	BD_EVENT Struct Reference	6
3.4	bd_stream_info Struct Reference	6
3.5	bd_title_info Struct Reference	7
3.6	BLURAY_DISC_INFO Struct Reference	7
4	File Documentation	9
4.1	src/libbluray/bluray.h File Reference	9
4.1.1	Detailed Description	12
4.1.2	Define Documentation	12
4.1.2.1	TITLES_ALL	12
4.1.2.2	TITLES_FILTER_DUP_CLIP	13
4.1.2.3	TITLES_FILTER_DUP_TITLE	13
4.1.2.4	TITLES_RELEVANT	13
4.1.3	Function Documentation	13
4.1.3.1	bd_chapter_pos	13
4.1.3.2	bd_close	13
4.1.3.3	bd_free_title_info	13
4.1.3.4	bd_get_current_angle	14
4.1.3.5	bd_get_current_chapter	14
4.1.3.6	bd_get_current_title	14
4.1.3.7	bd_get_disc_info	14
4.1.3.8	bd_get_event	15
4.1.3.9	bd_get_meta	15
4.1.3.10	bd_get_playlist_info	15
4.1.3.11	bd_get_title_info	16
4.1.3.12	bd_get_title_size	16

4.1.3.13	bd_get_titles	16
4.1.3.14	bd_menu_call	16
4.1.3.15	bd_mouse_select	17
4.1.3.16	bd_open	17
4.1.3.17	bd_play	17
4.1.3.18	bd_play_title	18
4.1.3.19	bd_read	18
4.1.3.20	bd_read_ext	18
4.1.3.21	bd_register_overlay_proc	19
4.1.3.22	bd_seamless_angle_change	19
4.1.3.23	bd_seek	19
4.1.3.24	bd_seek_chapter	20
4.1.3.25	bd_seek_mark	20
4.1.3.26	bd_seek_time	20
4.1.3.27	bd_select_angle	20
4.1.3.28	bd_select_playlist	21
4.1.3.29	bd_select_title	21
4.1.3.30	bd_set_player_setting	21
4.1.3.31	bd_tell	22
4.1.3.32	bd_tell_time	22
4.1.3.33	bd_user_input	22

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

bd_chapter	5
bd_clip	5
BD_EVENT	6
bd_stream_info	6
bd_title_info	7
BLURAY_DISC_INFO	7

Chapter 2

File Index

2.1 File List

Here is a list of all documented files with brief descriptions:

Chapter 3

Class Documentation

3.1 bd_chapter Struct Reference

Public Attributes

- uint32_t **idx**
- uint64_t **start**
- uint64_t **duration**
- uint64_t **offset**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

3.2 bd_clip Struct Reference

Public Attributes

- uint32_t **pkt_count**
- uint8_t **still_mode**
- uint16_t **still_time**
- uint8_t **video_stream_count**
- uint8_t **audio_stream_count**
- uint8_t **pg_stream_count**
- uint8_t **ig_stream_count**
- uint8_t **sec_audio_stream_count**
- uint8_t **sec_video_stream_count**

- `BLURAY_STREAM_INFO * video_streams`
- `BLURAY_STREAM_INFO * audio_streams`
- `BLURAY_STREAM_INFO * pg_streams`
- `BLURAY_STREAM_INFO * ig_streams`
- `BLURAY_STREAM_INFO * sec_audio_streams`
- `BLURAY_STREAM_INFO * sec_video_streams`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.3 BD_EVENT Struct Reference

Public Attributes

- `uint32_t event`
- `uint32_t param`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.4 bd_stream_info Struct Reference

Public Attributes

- `uint8_t coding_type`
- `uint8_t format`
- `uint8_t rate`
- `uint8_t char_code`
- `uint8_t lang [4]`
- `uint16_t pid`
- `uint8_t aspect`

The documentation for this struct was generated from the following file:

- `src/libbluray/bluray.h`

3.5 **bd_title_info** Struct Reference

Public Attributes

- **uint32_t idx**
- **uint32_t playlist**
- **uint64_t duration**
- **uint32_t clip_count**
- **uint8_t angle_count**
- **uint32_t chapter_count**
- **BLURAY_CLIP_INFO * clips**
- **BLURAY_TITLE_CHAPTER * chapters**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

3.6 **BLURAY_DISC_INFO** Struct Reference

Public Attributes

- **uint8_t bluray_detected**
- **uint8_t first_play_supported**
- **uint8_t top_menu_supported**
- **uint32_t num_hdmv_titles**
- **uint32_t num_bdj_titles**
- **uint32_t num_unsupported_titles**
- **uint8_t aacs_detected**
- **uint8_t libaacs_detected**
- **uint8_t aacs_handled**
- **uint8_t bdplus_detected**
- **uint8_t libbdplus_detected**
- **uint8_t bdplus_handled**

The documentation for this struct was generated from the following file:

- src/libbluray/[bluray.h](#)

Chapter 4

File Documentation

4.1 src/libbluray/bluray.h File Reference

```
#include <stdint.h>
```

Classes

- struct [bd_stream_info](#)
- struct [bd_clip](#)
- struct [bd_chapter](#)
- struct [bd_title_info](#)
- struct [BLURAY_DISC_INFO](#)
- struct [BD_EVENT](#)

Defines

- #define [TITLES_ALL](#) 0
- #define [TITLES_FILTER_DUP_TITLE](#) 0x01
- #define [TITLES_FILTER_DUP_CLIP](#) 0x02
- #define [TITLES_RELEVANT](#) (TITLES_FILTER_DUP_TITLE | TITLES_FILTER_DUP_CLIP)
- #define [BLURAY_TITLE_FIRST_PLAY](#) 0xffff
- #define [BLURAY_TITLE_TOP_MENU](#) 0

Typedefs

- typedef struct bluray [BLURAY](#)

- `typedef struct bd_stream_info BLURAY_STREAM_INFO`
- `typedef struct bd_clip BLURAY_CLIP_INFO`
- `typedef struct bd_chapter BLURAY_TITLE_CHAPTER`
- `typedef struct bd_title_info BLURAY_TITLE_INFO`
- `typedef void(* bd_overlay_proc_f)(void *, const struct bd_overlay_s *const)`

Enumerations

- `enum bd_stream_type_e {`
`BLURAY_STREAM_TYPE_VIDEO_MPEG1 = 0x01, BLURAY_STREAM_-`
`TYPE_VIDEO_MPEG2 = 0x02, BLURAY_STREAM_TYPE_AUDIO_MPEG1`
`= 0x03, BLURAY_STREAM_TYPE_AUDIO_MPEG2 = 0x04,`
`BLURAY_STREAM_TYPE_AUDIO_LPCM = 0x80, BLURAY_STREAM_-`
`TYPE_AUDIO_AC3 = 0x81, BLURAY_STREAM_TYPE_AUDIO_DTS =`
`0x82, BLURAY_STREAM_TYPE_AUDIO_TRUHD = 0x83,`
`BLURAY_STREAM_TYPE_AUDIO_AC3PLUS = 0x84, BLURAY_STREAM_-`
`TYPE_AUDIO_DTSHD = 0x85, BLURAY_STREAM_TYPE_AUDIO_DTSHD_-`
`MASTER = 0x86, BLURAY_STREAM_TYPE_VIDEO_VC1 = 0xea,`
`BLURAY_STREAM_TYPE_VIDEO_H264 = 0x1b, BLURAY_STREAM_-`
`TYPE_SUB_PG = 0x90, BLURAY_STREAM_TYPE_SUB_IG = 0x91, BLURAY_-`
`STREAM_TYPE_SUB_TEXT = 0x92 }`
- `enum bd_video_format_e {`
`BLURAY_VIDEO_FORMAT_480I = 1, BLURAY_VIDEO_FORMAT_576I`
`= 2, BLURAY_VIDEO_FORMAT_480P = 3, BLURAY_VIDEO_FORMAT_-`
`1080I = 4,`
`BLURAY_VIDEO_FORMAT_720P = 5, BLURAY_VIDEO_FORMAT_1080P`
`= 6, BLURAY_VIDEO_FORMAT_576P = 7 }`
- `enum bd_video_rate_e {`
`BLURAY_VIDEO_RATE_24000_1001 = 1, BLURAY_VIDEO_RATE_24 =`
`2, BLURAY_VIDEO_RATE_25 = 3, BLURAY_VIDEO_RATE_30000_1001`
`= 4,`
`BLURAY_VIDEO_RATE_50 = 6, BLURAY_VIDEO_RATE_60000_1001 =`
`7 }`
- `enum bd_video_aspect_e { BLURAY_ASPECT_RATIO_4_3 = 2, BLURAY_-`
`ASPECT_RATIO_16_9 = 3 }`
- `enum bd_audio_format_e { BLURAY_AUDIO_FORMAT_MONO = 1, BLURAY_-`
`AUDIO_FORMAT_STEREO = 3, BLURAY_AUDIO_FORMAT_MULTI_-`
`CHAN = 6, BLURAY_AUDIO_FORMAT_COMBO = 12 }`
- `enum bd_audio_rate_e {`
`BLURAY_AUDIO_RATE_48 = 1, BLURAY_AUDIO_RATE_96 = 4, BLURAY_-`
`AUDIO_RATE_192 = 5, BLURAY_AUDIO_RATE_192_COMBO = 12,`
`BLURAY_AUDIO_RATE_96_COMBO = 14 }`

```

• enum bd_char_code_e {
    BLURAY_TEXT_CHAR_CODE_UTF8 = 0x01, BLURAY_TEXT_CHAR_CODE_UTF16BE = 0x02, BLURAY_TEXT_CHAR_CODE_SHIFT_JIS = 0x03, BLURAY_TEXT_CHAR_CODE_EUC_KR = 0x04,
    BLURAY_TEXT_CHAR_CODE_GB18030_20001 = 0x05, BLURAY_TEXT_CHAR_CODE_CN_GB = 0x06, BLURAY_TEXT_CHAR_CODE_BIG5 = 0x07 }
• enum bd_still_mode_e { BLURAY_STILL_NONE = 0x00, BLURAY_STILL_TIME = 0x01, BLURAY_STILL_INFINITE = 0x02 }
• enum bd_player_setting {
    BLURAY_PLAYER_SETTING_PARENTAL = 13, BLURAY_PLAYER_SETTING_AUDIO_CAP = 15, BLURAY_PLAYER_SETTING_AUDIO_LANG = 16, BLURAY_PLAYER_SETTING_PG_LANG = 17,
    BLURAY_PLAYER_SETTING_MENU_LANG = 18, BLURAY_PLAYER_SETTING_COUNTRY_CODE = 19, BLURAY_PLAYER_SETTING_REGION_CODE = 20, BLURAY_PLAYER_SETTING_VIDEO_CAP = 29,
    BLURAY_PLAYER_SETTING_TEXT_CAP = 30, BLURAY_PLAYER_SETTING_PLAYER_PROFILE = 31 }
• enum bd_event_e {
    BD_EVENT_NONE = 0, BD_EVENT_ERROR, BD_EVENT_ENCRYPTED, BD_EVENT_ANGLE,
    BD_EVENT_TITLE, BD_EVENT_PLAYLIST, BD_EVENT_PLAYITEM, BD_EVENT CHAPTER,
    BD_EVENT_END_OF_TITLE, BD_EVENT_AUDIO_STREAM, BD_EVENT_IG_STREAM, BD_EVENT_PG_TEXTST_STREAM,
    BD_EVENT_PIP_PG_TEXTST_STREAM, BD_EVENT_SECONDARY_AUDIO_STREAM, BD_EVENT_SECONDARY_VIDEO_STREAM, BD_EVENT_PG_TEXTST,
    BD_EVENT_PIP_PG_TEXTST, BD_EVENT_SECONDARY_AUDIO, BD_EVENT_SECONDARY_VIDEO, BD_EVENT_SECONDARY_VIDEO_SIZE,
    BD_EVENT_SEEK, BD_EVENT_STILL, BD_EVENT_STILL_TIME }

```

Functions

- uint32_t [bd_get_titles](#) (BLURAY *bd, uint8_t flags)
- [BLURAY_TITLE_INFO](#) * [bd_get_title_info](#) (BLURAY *bd, uint32_t title_idx)
- [BLURAY_TITLE_INFO](#) * [bd_get_playlist_info](#) (BLURAY *bd, uint32_t playlist)
- void [bd_free_title_info](#) ([BLURAY_TITLE_INFO](#) *title_info)
- BLURAY * [bd_open](#) (const char *device_path, const char *keyfile_path)
- void [bd_close](#) (BLURAY *bd)
- int64_t [bd_seek](#) (BLURAY *bd, uint64_t pos)

- int64_t `bd_seek_time` (BLURAY *bd, uint64_t tick)
- int `bd_read` (BLURAY *bd, unsigned char *buf, int len)
- int64_t `bd_seek_chapter` (BLURAY *bd, unsigned chapter)
- int64_t `bd_chapter_pos` (BLURAY *bd, unsigned chapter)
- uint32_t `bd_get_current_chapter` (BLURAY *bd)
- int64_t `bd_seek_mark` (BLURAY *bd, unsigned mark)
- int `bd_select_playlist` (BLURAY *bd, uint32_t playlist)
- int `bd_select_title` (BLURAY *bd, uint32_t title)
- int `bd_select_angle` (BLURAY *bd, unsigned angle)
- void `bd_seamless_angle_change` (BLURAY *bd, unsigned angle)
- uint64_t `bd_get_title_size` (BLURAY *bd)
- uint32_t `bd_get_current_title` (BLURAY *bd)
- unsigned `bd_get_current_angle` (BLURAY *bd)
- uint64_t `bd_tell` (BLURAY *bd)
- uint64_t `bd_tell_time` (BLURAY *bd)
- const BLURAY_DISC_INFO * `bd_get_disc_info` (BLURAY *)
- int `bd_set_player_setting` (BLURAY *bd, uint32_t idx, uint32_t value)
- int `bd_set_player_setting_str` (BLURAY *bd, uint32_t idx, const char *s)
- int `bd_start_bdj` (BLURAY *bd, const char *start_object)
- void `bd_stop_bdj` (BLURAY *bd)
- int `bd_get_event` (BLURAY *bd, BD_EVENT *event)
- int `bd_play` (BLURAY *bd)
- int `bd_read_ext` (BLURAY *bd, unsigned char *buf, int len, BD_EVENT *event)
- int `bd_play_title` (BLURAY *bd, unsigned title)
- int `bd_menu_call` (BLURAY *bd, int64_t pts)
- void `bd_register_overlay_proc` (BLURAY *bd, void *handle, bd_overlay_proc_func)
- void `bd_user_input` (BLURAY *bd, int64_t pts, uint32_t key)
- void `bd_mouse_select` (BLURAY *bd, int64_t pts, uint16_t x, uint16_t y)
- struct meta_dl * `bd_get_meta` (BLURAY *bd)

4.1.1 Detailed Description

external API header

4.1.2 Define Documentation

4.1.2.1 #define TITLES_ALL 0

all titles.

4.1.2.2 #define TITLES_FILTER_DUP_CLIP 0x02

remove titles that have duplicate clips.

4.1.2.3 #define TITLES_FILTER_DUP_TITLE 0x01

remove duplicate titles.

4.1.2.4 #define TITLES_RELEVANT (TITLES_FILTER_DUP_TITLE | TITLES_FILTER_DUP_CLIP)

remove duplicate titles and clips

4.1.3 Function Documentation

4.1.3.1 int64_t bd_chapter_pos (BLURAY * *bd*, unsigned *chapter*)

Find the byte position of a chapter

Parameters

<i>bd</i>	BLURAY object
<i>chapter</i>	chapter to find position of

Returns

seek position of chapter start

4.1.3.2 void bd_close (BLURAY * *bd*)

Free libbluray objects

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

4.1.3.3 void bd_free_title_info (BLURAY_TITLE_INFO * *title_info*)

Free BLURAY_TITLE_INFO object

Parameters

<i>title_info</i>	BLURAY_TITLE_INFO object
-------------------	--------------------------

4.1.3.4 unsigned bd_get_current_angle (BLURAY * *bd*)

Return the current angle

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

current angle

4.1.3.5 uint32_t bd_get_current_chapter (BLURAY * *bd*)

Get the current chapter

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

current chapter

4.1.3.6 uint32_t bd_get_current_title (BLURAY * *bd*)

Returns the current title index

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

current title index

4.1.3.7 const BLURAY_DISC_INFO* bd_get_disc_info (BLURAY *)

Get information about current BluRay disc

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

pointer to [BLURAY_DISC_INFO](#) object, NULL on error

4.1.3.8 int bd_get_event(BLURAY * bd, BD_EVENT * event)

Get event from libbluray event queue.

Parameters

<i>bd</i>	BLURAY object
<i>event</i>	next BD_EVENT from event queue

Returns

1 on success, 0 if no events

4.1.3.9 struct meta_dl* bd_get_meta(BLURAY * bd) [read]

Get meta information about the bluray disc.

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

allocated META_DL (disclib) object, NULL on error

4.1.3.10 BLURAY_TITLE_INFO* bd_get_playlist_info(BLURAY * bd, uint32_t playlist)

Get information about a playlist

Parameters

<i>bd</i>	BLURAY object
<i>playlist</i>	playlist number

Returns

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.11 `BLURAY_TITLE_INFO* bd_get_title_info (BLURAY * bd, uint32_t title_idx)`

Get information about a title

Parameters

<i>bd</i>	BLURAY object
<i>title_idx</i>	title index number

Returns

allocated BLURAY_TITLE_INFO object, NULL on error

4.1.3.12 `uint64_t bd_get_title_size (BLURAY * bd)`

Returns file size in bytes of currently selected title, 0 in no title selected

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

file size in bytes of currently selected title, 0 if no title selected

4.1.3.13 `uint32_t bd_get_titles (BLURAY * bd, uint8_t flags)`

This must be called after `bd_open()` and before `bd_select_title()`. Populates the title list in BLURAY. Filtering of the returned list is controled through title flags

Parameters

<i>bd</i>	BLURAY object
<i>flags</i>	title flags

Returns

number of titles found

4.1.3.14 `int bd_menu_call (BLURAY * bd, int64_t pts)`

Open BluRay disc Top Menu.

Current pts is needed for resuming playback when menu is closed.

Parameters

<i>bd</i>	BLURAY object
<i>pts</i>	current playback position (1/90000s) or -1

Returns

1 on success, 0 if error

4.1.3.15 void bd_mouse_select (BLURAY * *bd*, int64_t *pts*, uint16_t *x*, uint16_t *y*)

Select menu button at location (x,y).

Parameters

<i>bd</i>	BLURAY object
<i>pts</i>	current playback position (1/90000s) or -1
<i>x</i>	mouse pointer x-position
<i>y</i>	mouse pointer y-position

Returns

none

4.1.3.16 BLURAY* bd_open (const char * *device_path*, const char * *keyfile_path*)

Initializes libbluray objects

Parameters

<i>device_path</i>	path to mounted Blu-ray disc
<i>keyfile_path</i>	path to KEYDB.cfg (may be NULL)

Returns

allocated BLURAY object, NULL if error

4.1.3.17 int bd_play (BLURAY * *bd*)

Start playing disc in navigation mode.

Playback is started from "First Play" title.

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

1 on success, 0 if error

4.1.3.18 int bd_play_title (BLURAY * *bd*, unsigned *title*)

Play a title (from disc index).

Title 0 = Top Menu Title 0xffff = First Play title Number of titles can be found from [BLURAY_DISC_INFO](#).

Parameters

<i>bd</i>	BLURAY object
<i>title</i>	title number from disc index

Returns

1 on success, 0 if error

4.1.3.19 int bd_read (BLURAY * *bd*, unsigned char * *buf*, int *len*)

Read from currently selected title file, decrypt if possible

Parameters

<i>bd</i>	BLURAY object
<i>buf</i>	buffer to read data into
<i>len</i>	size of data to be read

Returns

size of data read, -1 if error

4.1.3.20 int bd_read_ext (BLURAY * *bd*, unsigned char * *buf*, int *len*, BD_EVENT * *event*)

Read from currently playing title.

When playing disc in navigation mode this function must be used instead of [bd_read\(\)](#).

Parameters

<i>bd</i>	BLURAY object
<i>buf</i>	buffer to read data into
<i>len</i>	size of data to be read
<i>event</i>	next BD_EVENT from event queue (BD_EVENT_NONE if no events)

Returns

size of data read, -1 if error, 0 if event needs to be handled first, 0 if end of title was reached

4.1.3.21 void bd_register_overlay_proc (BLURAY * *bd*, void * *handle*, bd_overlay_proc_f *func*)

Register overlay graphics handler function.

Parameters

<i>bd</i>	BLURAY object
<i>handle</i>	application-specific handle that will be passed to handler function
<i>func</i>	handler function pointer

Returns

1 on success, 0 if error

4.1.3.22 void bd_seamless_angle_change (BLURAY * *bd*, unsigned *angle*)

Initiate seamless angle change

Parameters

<i>bd</i>	BLURAY object
<i>angle</i>	angle to change to

4.1.3.23 int64_t bd_seek (BLURAY * *bd*, uint64_t *pos*)

Seek to pos in currently selected title

Parameters

<i>bd</i>	BLURAY object
<i>pos</i>	position to seek to

Returns

current seek position

4.1.3.24 int64_t bd_seek_chapter (BLURAY * *bd*, unsigned *chapter*)

Seek to a chapter. First chapter is 0

Parameters

<i>bd</i>	BLURAY object
<i>chapter</i>	chapter to seek to

Returns

current seek position

4.1.3.25 int64_t bd_seek_mark (BLURAY * *bd*, unsigned *mark*)

Seek to a playmark. First mark is 0

Parameters

<i>bd</i>	BLURAY object
<i>mark</i>	playmark to seek to

Returns

current seek position

4.1.3.26 int64_t bd_seek_time (BLURAY * *bd*, uint64_t *tick*)

Seek to specific time in 90Khz ticks

Parameters

<i>bd</i>	BLURAY object
<i>tick</i>	tick count

Returns

current seek position

4.1.3.27 int bd_select_angle (BLURAY * *bd*, unsigned *angle*)

Set the angle to play

Parameters

<i>bd</i>	BLURAY object
<i>angle</i>	angle to play

Returns

1 on success, 0 if error

4.1.3.28 int bd_select_playlist (BLURAY * *bd*, uint32_t *playlist*)

Select a playlist

Parameters

<i>bd</i>	BLURAY object
<i>playlist</i>	playlist to select

Returns

1 on success, 0 if error

4.1.3.29 int bd_select_title (BLURAY * *bd*, uint32_t *title*)

Select the title from the list created by [bd_get_titles\(\)](#)

Parameters

<i>bd</i>	BLURAY object
<i>title</i>	title to select

Returns

1 on success, 0 if error

4.1.3.30 int bd_set_player_setting (BLURAY * *bd*, uint32_t *idx*, uint32_t *value*)

Update player setting registers

Parameters

<i>bd</i>	BLURAY object
<i>idx</i>	Player setting register
<i>value</i>	New value for player setting register

Returns

1 on success, 0 on error (invalid setting)

4.1.3.31 uint64_t bd_tell (BLURAY * *bd*)

Return current pos

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

current seek position

4.1.3.32 uint64_t bd_tell_time (BLURAY * *bd*)

Return current time

Parameters

<i>bd</i>	BLURAY object
-----------	---------------

Returns

current time

4.1.3.33 void bd_user_input (BLURAY * *bd*, int64_t *pts*, uint32_t *key*)

Pass user input to graphics controller. Keys are defined in libbluray/keys.h. Current pts can be updated by using BD_VK_NONE key. This is required for animated menus.

Parameters

<i>bd</i>	BLURAY object
<i>pts</i>	current playback position (1/90000s) or -1
<i>key</i>	input key

Returns

1 on success, 0 if error

Index

bd_chapter, 5
bd_chapter_pos
 bluray.h, 13
bd_clip, 5
bd_close
 bluray.h, 13
BD_EVENT, 6
bd_free_title_info
 bluray.h, 13
bd_get_current_angle
 bluray.h, 14
bd_get_current_chapter
 bluray.h, 14
bd_get_current_title
 bluray.h, 14
bd_get_disc_info
 bluray.h, 14
bd_get_event
 bluray.h, 15
bd_get_meta
 bluray.h, 15
bd_get_playlist_info
 bluray.h, 15
bd_get_title_info
 bluray.h, 15
bd_get_title_size
 bluray.h, 16
bd_get_titles
 bluray.h, 16
bd_menu_call
 bluray.h, 16
bd_mouse_select
 bluray.h, 17
bd_open
 bluray.h, 17
bd_play
 bluray.h, 17
bd_play_title
 bluray.h, 18
bd_read
 bluray.h, 18
bd_read_ext
 bluray.h, 18
bd_register_overlay_proc
 bluray.h, 19
bd_seamless_angle_change
 bluray.h, 19
bd_seek
 bluray.h, 19
bd_seek_chapter
 bluray.h, 19
bd_seek_mark
 bluray.h, 20
bd_seek_time
 bluray.h, 20
bd_select_angle
 bluray.h, 20
bd_select_playlist
 bluray.h, 21
bd_select_title
 bluray.h, 21
bd_set_player_setting
 bluray.h, 21
bd_stream_info, 6
bd_tell
 bluray.h, 22
bd_tell_time
 bluray.h, 22
bd_title_info, 7
bd_user_input
 bluray.h, 22
bluray.h
 bd_chapter_pos, 13
 bd_close, 13

bd_free_title_info, 13
bd_get_current_angle, 14
bd_get_current_chapter, 14
bd_get_current_title, 14
bd_get_disc_info, 14
bd_get_event, 15
bd_get_meta, 15
bd_get_playlist_info, 15
bd_get_title_info, 15
bd_get_title_size, 16
bd_get_titles, 16
bd_menu_call, 16
bd_mouse_select, 17
bd_open, 17
bd_play, 17
bd_play_title, 18
bd_read, 18
bd_read_ext, 18
bd_register_overlay_proc, 19
bd_seamless_angle_change, 19
bd_seek, 19
bd_seek_chapter, 19
bd_seek_mark, 20
bd_seek_time, 20
bd_select_angle, 20
bd_select_playlist, 21
bd_select_title, 21
bd_set_player_setting, 21
bd_tell, 22
bd_tell_time, 22
bd_user_input, 22
TITLES_ALL, 12
TITLES_FILTER_DUP_CLIP, 12
TITLES_FILTER_DUP_TITLE, 13
TITLES_RELEVANT, 13
BLURAY_DISC_INFO, 7

src/libbluray/bluray.h, 9

TITLES_ALL
 bluray.h, 12
TITLES_FILTER_DUP_CLIP
 bluray.h, 12
TITLES_FILTER_DUP_TITLE
 bluray.h, 13
TITLES_RELEVANT